



BOS-DRAW 337

EXTREME-DUTY DRAWING & FORMING COMPOUND

Description

Bos-Draw 337 provides extended die life, improving surface finishes while maintaining metallurgical integrity.

Bos-Draw 337 is the heaviest grade of drawing compounds from Bosse Lubricants. This formulation was designed for maximum adherence and shear resistance for the most severe forming operations. The physical film characteristics along with the extreme-pressure package provide unparalleled performance in severe reductions of tube and bar. Ideal for use in metal spinning operations. *Non-hazardous.*

Applications

Drawing, Stamping, Forming, Pointing, Swaging, Tapping & Threading, Blanking, Deep Drawing, Spinning, Broaching

PRODUCT

Appearance

Odor

Viscosity @ 100°F SUS

Flash Point, °F (°C)

Solubility in Water

Chlorine

Sulfur, Active/Inactive

Lubricity (Fat)

Anti-mist

BOS-DRAW 337

Amber Viscous Liquid

Mild Sulfur Hydrocarbon

>10,000

>400

0

Yes

No

No

NA

Bosse Lubricants
800-367-9966 www.metalfuids.com

The product information and specifications contained herein have been compiled for the convenience of the user. It is intended to be used by people with technical skills. Bosse Lubricants & Star Metal Fluids LLC disclaims any warranty, expressed or implied, of merchantability for any specific use, especially when such use is beyond our control. Whenever the information herein is to be used for a critical application it is the responsibility of the user to verify independently the appropriateness of its use in his application. This information is not intended as a license to operate under, or a recommendation to infringe any Bosse Lubricants patent.