



## Safety Data Sheet

according to 29 CFR 1910.1200(g)

### ECONO 897 Allround - Paste

Print date: 15.08.2016

Product code: 32

Page 2 of 5

#### 4. First-aid measures

##### Description of first aid measures

###### General information

Seek medical attention if problems persist. No administration in cases of unconsciousness or cramps.

###### After contact with skin

After contact with skin, wash immediately with: Water. Change contaminated clothing.

###### After ingestion

Water.

##### Indication of any immediate medical attention and special treatment needed

Treat symptomatically

#### 5. Fire-fighting measures

##### Extinguishing media

###### Suitable extinguishing media

Water fog. Extinguishing powder. Carbon dioxide. Foam.

###### Unsuitable extinguishing media

High power water jet.

##### Specific hazards arising from the chemical

Can be released in case of fire:

Carbon dioxide (CO<sub>2</sub>).

Nitrogen oxides (NO<sub>x</sub>).

##### Special protective equipment and precautions for fire-fighters

In case of fire: Wear self-contained breathing apparatus.

#### 6. Accidental release measures

##### Personal precautions, protective equipment and emergency procedures

See protective measures under point 7 and 8.

##### Methods and material for containment and cleaning up

Large quantities remove mechanically

#### 7. Handling and storage

##### Precautions for safe handling

###### Advice on safe handling

Avoid oil mist

Direct contact with skins avoid.

When using do not eat, drink or smoke.

###### Advice on protection against fire and explosion

Prevent access by unauthorised personnel.

###### Further information on handling

High slip hazard because of leaking or spilled product.

##### Conditions for safe storage, including any incompatibilities

###### Requirements for storage rooms and vessels

Recommended storage temperature: 5-40 °C

###### Advice on storage compatibility

Keep away from food, drink and animal feedingstuffs.

Do not store with strong oxidizing agents.

## Safety Data Sheet

according to 29 CFR 1910.1200(g)

### ECONO 897 Allround - Paste

Print date: 15.08.2016

Product code: 32

Page 3 of 5

Maximum period of storage (time): 3 Jahr

## 8. Exposure controls/personal protection

### Control parameters

### Exposure controls

#### Protective and hygiene measures

Use personal protection equipment as per Directive 89/686/EEC.

#### Eye/face protection

Use glasses or face shield if there is a risk of splashing.

#### Hand protection

Protect skin by using skin protective cream. Wear protective gloves if advisable under safety aspects.

Gloves of appropriate material (i.e. nitrilic rubber, specification: penetration time: level 6, &gt;480 min., thickness 0,9-1 mm; CE-certified acc. EN 374 cat III)

#### Skin protection

Chemical resistant safety shoes. Take off immediately all contaminated clothing.

Set out skin protection guidelines.

## 9. Physical and chemical properties

### Information on basic physical and chemical properties

Physical state:	Paste
Color:	yellow brown
Odor:	characteristic

### Test method

pH-Value (at 20 °C):

#### Changes in the physical state

Flash point:	250 °C	DIN EN 57
Ignition temperature:	320 °C	ASTM E 659
Density (at 20 °C):	1 g/cm <sup>3</sup>	ASTM D 1298
Water solubility: (at 20 °C)	insoluble	
Viscosity / kinematic: (at 40 °C)		ASTM D 7042

## 10. Stability and reactivity

### Conditions to avoid

heat.

### Incompatible materials

The following must be prevented: Oxidizing agents, strong. acid.

### Hazardous decomposition products

Hazardous decomposition products:

## 11. Toxicological information

### Information on toxicological effects

#### Additional information on tests

No risks worthy of mention. Practical experience.

The classification was undertaken in accordance with the calculation method governed by the Preparations

## Safety Data Sheet

according to 29 CFR 1910.1200(g)

### ECONO 897 Allround - Paste

Print date: 15.08.2016

Product code: 32

Page 4 of 5

Directive (1999/45/EC).

#### 12. Ecological information

##### Mobility in soil

in delivery condition: solid

#### 13. Disposal considerations

##### Waste treatment methods

#### 14. Transport information

##### Marine transport (IMDG)

**UN number:** UN 3077  
**UN proper shipping name:** ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S. (alkanes, C14-17, chloro; chlorinated paraffins, C14-17)  
**Transport hazard class(es):** 9  
**Packing group:** III  
 Hazard label: 9



Limited quantity: 5 kg  
 Excepted quantity: E1  
 EmS: F-A, S-F

##### Air transport (ICAO)

**UN number:** UN 3077  
**UN proper shipping name:** ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S. (alkanes, C14-17, chloro; chlorinated paraffins, C14-17)  
**Transport hazard class(es):** 9  
**Packing group:** III  
 Hazard label: 9



Limited quantity Passenger: 30 kg G  
 Passenger LQ: Y956  
 Excepted quantity: E1  
 IATA-packing instructions - Passenger: 956  
 IATA-max. quantity - Passenger: 400 kg  
 IATA-packing instructions - Cargo: 956  
 IATA-max. quantity - Cargo: 400 kg

##### Environmental hazards

ENVIRONMENTALLY HAZARDOUS: yes



Danger releasing substance: alkanes, C14-17, chloro; chlorinated paraffins, C14-17

**Safety Data Sheet**

according to 29 CFR 1910.1200(g)

**ECONO 897 Allround - Paste**

Print date: 15.08.2016

Product code: 32

Page 5 of 5

**15. Regulatory information****U.S. Regulations****State Regulations****Safe Drinking Water and Toxic Enforcement Act of 1986 (Proposition 65, State of California)**


This product contains no chemicals known to the State of California to cause cancer, birth defects or other reproductive harm.

**16. Other information****Hazardous Materials Information Label (HMIS)**

Health: 2  
Flammability: 0  
Physical Hazard: 0

**NFPA Hazard Ratings**

Health: 2  
Flammability: 0  
Reactivity: 0  
Unique Hazard:

**Changes**

Revision date: 15.08.2016

Revision No: 1,03

This data sheet contains changes from the previous version in section(s): 3.

*(The data for the hazardous ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)*