

**Safety Data Sheet**

according to 29 CFR 1910.1200(g)

Manuell WAC 201

Print date: 15.08.2016

Product code: 35

Page 1 of 4

1. Identification**Product identifier**

Manuell WAC 201

Recommended use of the chemical and restrictions on use**Details of the supplier of the safety data sheet**

Company name:	Intercon Enterprises Inc.	
Street:	6901 72 Street Unit 216	
Place:	CDN Delta BC V4G 0A2	
Telephone:	604 946-6066	Telefax: 604 946-5340
e-mail:	sales@intercon1978.com	
Internet:	www.intercon1978.com	
Responsible Department:	Manufacturer:	
	Jokisch GmbH, Germany	
	Industriestraße 5, D-33813 Oerlinghausen	
	Phone: +49.5202.9734-0	
	Fax: +49.5202.9734-49	

Emergency phone number: Giftnotruf Berlin: +49 (0) 30 / 30 686 790**2. Hazard(s) identification****Classification of the chemical****29 CFR Part 1910.1200**

This mixture is not classified as hazardous according to Regulation 29 CFR 1910.1200(d).

Label elements**29 CFR Part 1910.1200****Special labelling of certain mixtures**

25 % of the mixture consists of ingredient(s) of unknown acute toxicity (inhalation).

3. Composition/information on ingredients**Mixtures****4. First-aid measures****Description of first aid measures****General information**

Seek medical attention if problems persist. No administration in cases of unconsciousness or cramps.

After inhalation

Move victim to fresh air. Put victim at rest and keep warm.

After contact with eyes

In case of contact with eyes, rinse immediately with plenty of flowing water for 10 to 15 minutes holding eyelids apart.

After ingestion

In case of swallowing, keep the patient at rest and contact a doctor.

Indication of any immediate medical attention and special treatment needed

Treat symptomatically

5. Fire-fighting measures**Extinguishing media**

Safety Data Sheet

according to 29 CFR 1910.1200(g)

Manuell WAC 201

Print date: 15.08.2016

Product code: 35

Page 2 of 4

Suitable extinguishing media

Water fog. Extinguishing powder. Carbon dioxide. Foam.

Unsuitable extinguishing media

High power water jet.

Specific hazards arising from the chemical

Can be released in case of fire:

Carbon dioxide (CO₂).Nitrogen oxides (NO_x).**Special protective equipment and precautions for fire-fighters**

In case of fire: Wear self-contained breathing apparatus.

6. Accidental release measures**Personal precautions, protective equipment and emergency procedures**

See protective measures under point 7 and 8.

Methods and material for containment and cleaning up

Large quantities remove mechanically

7. Handling and storage**Precautions for safe handling****Advice on safe handling**

Avoid oil mist

Direct contact with skins avoid.

When using do not eat, drink or smoke.

Advice on protection against fire and explosion

Prevent access by unauthorised personnel.

Further information on handling

High slip hazard because of leaking or spilled product.

Conditions for safe storage, including any incompatibilities**Requirements for storage rooms and vessels**

Recommended storage temperature: 5-40 °C

Advice on storage compatibility

Keep away from food, drink and animal feedingstuffs.

Do not store with strong oxidizing agents.

Maximum period of storage (time): 3

8. Exposure controls/personal protection**Control parameters****Exposure controls****Protective and hygiene measures**

Use personal protection equipment as per Directive 89/686/EEC.

Eye/face protection

Use glasses or face shield if there is a risk of splashing.

Hand protection

Protect skin by using skin protective cream. Wear protective gloves if advisable under safety aspects.

Gloves of appropriate material (i.e. nitrilic rubber, specification: penetration time: level 6, >480 min., thickness 0,9-1 mm; CE-certified acc. EN 374 cat III)

Skin protection

Chemical resistant safety shoes. Take off immediately all contaminated clothing.

Safety Data Sheet

according to 29 CFR 1910.1200(g)

Manuell WAC 201

Print date: 15.08.2016

Product code: 35

Page 3 of 4

Set out skin protection guidelines.

Respiratory protection

With correct and proper use, and under normal conditions, breathing protection is not required.

9. Physical and chemical properties**Information on basic physical and chemical properties**

Physical state:	Paste
Color:	yellow brown
Odor:	characteristic

Test method**Changes in the physical state**

Flash point:	270 °C	DIN EN 57
Ignition temperature:	350 °C	ASTM E 659
Density (at 20 °C):	1 g/cm ³	EN ISO 12185
Viscosity / kinematic: (at 40 °C)		ASTM D 7042

10. Stability and reactivity**Conditions to avoid**

heat.

Incompatible materials

The following must be prevented: Oxidizing agents, strong acid.

Hazardous decomposition products

Hazardous decomposition products:

11. Toxicological information**Information on toxicological effects****Additional information on tests**

No risks worthy of mention. Practical experience.

The classification was undertaken in accordance with the calculation method governed by the Preparations Directive (1999/45/EC).

12. Ecological information**Mobility in soil**

in delivery condition: viscous

13. Disposal considerations**Waste treatment methods****14. Transport information****15. Regulatory information****U.S. Regulations****State Regulations****Safe Drinking Water and Toxic Enforcement Act of 1986 (Proposition 65, State of California)**

This product contains no chemicals known to the State of California to cause cancer, birth defects or other



Safety Data Sheet

according to 29 CFR 1910.1200(g)

Manuell WAC 201

Print date: 15.08.2016

Product code: 35

Page 4 of 4

reproductive harm.

16. Other information

Changes

Revision date: 15.08.2016

Revision No: 1,01

This data sheet contains changes from the previous version in section(s): 1.

Other data

The information is based on present level of our knowledge. It does not, however, give assurances of product properties and establishes no contract legal rights.

(The data for the hazardous ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)