

VF-77T TECHNICAL DATA SHEET GENERAL PURPOSE CLEANER

APPLICATION:

VF-77T is a unique alkaline compound blended from quality raw materials that is proven to be excellent for controlling the white film residue that plagues most users of plastic medias. VF-77T works equally well on ceramic media applications.

USE RECOMMENDATION:

VF-77T is recommended for use at 1 to 4 ounces of compound per 1 gallon of water.

Appearance	Transparent medium pink liquid
Odor	Mild glycol ether
Specific Gravity	1.03 (Water = 1)
рН	10-11
Solubility in Water	Complete

TYPICAL PROPERTIES:

SAFE HANDLING:

VF-77T is an industrial grade product. When diluted with water, VF-77T is not anticipated to pose a health hazard. Exercise caution, however, when working with the concentrated product (as supplied). The concentrated product may cause irritation to the eyes and skin and proper personal protective equipment should be utilized.

In case of skin contact, flush the exposed area with plenty of water and seek medical attention if irritation develops and persists. For eye contact, flush eyes with plenty of water for at least 15 minutes, occasionally lifting the upper and lower eyelids and seek immediate medical attention.

Refer to the product Safety Data Sheet (SDS) for full health and safety information.

The data presented are believed to be accurate. Vibra Finish cannot anticipate all conditions which this information and our products, or the products of other manufacturers in combination with our products may be used. Vibra Finish does not accept responsibility for results obtained by the application of this information, either alone or in combination with other products. Users are advised to make their own tests to determine the safety and suitability of each such product or product combination for their own purposes.

FOR INDUSTRIAL USE ONLY

Vibra Finish Company

8411 Seward Road | Hamilton, OH 45011 | 513.870.6300 2220 N. Shasta Way | Simi Valley, CA 93065 | 805.578.0033 www.vibrafinish.com info@vibrafinish.com